

Author Index

- ADU, D. *see* LEE, S.S.
 ALBECK, M. *see* BLANK, M.
 AOTSUKA, S. *see* KINOSHITA, M.
 AOTSUKA, S., FUNAHASHI, T., TANI, N., OKAWA-TAKATSUJI, M., KINOSHITA, M. & YOKOHRI, R. Adsorption of anti-dsDNA antibodies by immobilized polyanionic compounds, 215
 ATHERTON, M.C. *see* McLACHLAN, S.M.
 ATTISANO, C. *see* MASSAIA, M.
 AVRAMEAS, S. *see* MATSIOTA, P.
 AYED, K. *see* HAMZAOU, K.
 BACON, P.A. *see* LIFE, P.F.
 BAIG, S. *see* MIX, E.
 BALESTRIERI, G. *see* FERRARO, G.
 BANDYOPADHYAY, S., ZIEGNER, U., CAMPBELL, D.F., MILLER, D.S., HOXIE, J.A. & STARR, S.E.. Natural killer cell-mediated lysis of T cell lines chronically infected with HIV-1, 430
 BARBOSA, J.A. *see* GATENBY, P.A.
 BARCELLINI, W. *see* FERRARO, G.
 BARNES, C.S. *see* FORTUNE, F.
 BARRAS, C. *see* STOECK, M.
 BENHARROCH, D. *see* RAGER-ZISMAN, B.
 BERG, P.A. *see* HOPF, U.
 BERMAN, M.A. *see* HASHIMOTO, S.
 BIANCHI, A. *see* MASSAIA, M.
 BILSTON, R.A. *see* PFUELLER, S.L.
 BLANK, M., SREFFNI, B., ALBECK, M., MOZES, E. & SHOENFELD, Y. The effect of the immunomodulator agent AS101 on interleukin-2 production in systemic lupus erythematosus (SLE) induced in mice by a pathogenic anti-DNA antibody, 443
 BOCCADORO, M., *see* MASSAIA, M.
 BORGH, M.O. *see* FERRARO, G.
 BORGNON, A. *see* WEYER, A.
 BOTTAZZO, G.F. *see* GUERIN, V.
 BRADLEY, J.G. *see* MARTIN, S.J.
 BRIGHOUSE, G. *see* MERINO, J.
 BROOKS, P.M. *see* DANIS, V.A.
 BROSTOFF, J. *see* JAKOB, T.
 BRUIJN, J.A., HOGENDOORN, P.C.W., CORVER, W.E., VAN DEN BROEK, L.J.C.M., HOEDEMAEKER, P.J. & FLEUREN, G.J. Pathogenesis of experimental lupus nephritis: a role for anti-basement membrane and anti-tubular brush border antibodies in murine chronic graft-versus-host disease, 115
 BURSTEIN, Y. *see* RAGER-ZISMAN, B.
 CAMPBELL, D.F. *see* BANDYOPADHYAY, S.
 CAMPBELL, P.A. Editorial Review: The neutrophil, a professional killer of bacteria, may be controlled by T cells, 141
 CAMIONI, A. *see* MASSAIA, M.
 CAPASSO, P. *see* STOECK, M.
 CASTILLA, A. *see* PRIETO, J.
 CATTELL, V., SMITH, J. & COOK, H.T. Prostaglandin E1 suppresses macrophage infiltration and ameliorates injury in an experimental model of macrophage-dependent glomerulonephritis, 260
 CAVALLIO, T. & GRANHOLM, N.A. Repeated exposure to bacterial lipopolysaccharide interferes with disposal of pathogenic immune complexes in mice, 253
 CHIZZOLINI, C., GRAU, G.E., GEINOZ, A. & SCHRIJVERS, D. T lymphocyte interferon-gamma production induced by *Plasmodium falciparum* antigen is high in recently infected non-immune and low in immune subjects, 95
 CIVEIRA, M.P. *see* PRIETO, J.
 CLARK, F. *see* McLACHLAN, S.M.
 COLLINS, J.L. *see* POWELL, C.B.
 CONCEICAO-SILVA, F., DOREA, R.C.C., PIRMEZ, C., SCHUBACH, A. & COUTINHO, S.G. Quantitative study of *Leishmania braziliensis* reactive T cells in peripheral blood and in the lesions of patients with American mucocutaneous leishmaniasis, 221
 COOK, H.T. *see* CATTELL, V.
 COOKE, A. *see* McLACHLAN, S.M.
 CORREALE, J. *see* MIX, E.
 CORVER, W.E. *see* BRUIJN, J.A.
 COTTER, T.G. *see* MARTIN, S.J.
 COUTINHO, S.G. *see* CONCEICAO-SILVA, F.
 DANIS, V.A., KULESZ, A.J., NELSON, D.S. & BROOKS, P.M. The effect of gold thiomalate and auranofin on lipopolysaccharide-induced interleukin-1 production by blood monocytes *in vitro*: variation in healthy subjects and patients with arthritis, 335
 DAVIS, T.A., MONROY, R.L., SKELLY, R.R., DONAHUE, R.E. & MACVITTIE, T.J. Differential augmentation of *in vivo* natural killer cytotoxicity in normal primates with recombinant human interleukin-1 and granulocyte-macrophage colony-stimulating factor, 436
 DE WOLF, C.J.M. *see* VAN NIEUWERK, E.B.J.
 DEGIORGI, L., HABESHAW, J.A., POVEY, S. & MATOSSIAN-ROGERS, A. Reduction of graft-versus-host disease in neonatal F1 hybrid mice, 130
 DIANZANI, *see* MASSAIA, M.
 DIEPPE, P.A. *see* DULARAY, B.
 DONAHUE, R.E. *see* DAVIS, T.A.
 DOREA, R.C.C. *see* CONCEICAO-SILVA, F.
 DOSQUET, P. *see* MATSIOTA, P.
 DRUET, E. *see* MATSIOTA, P.
 DRUET, P. *see* MATSIOTA, P.
 DUAN, S.C. *see* WEN, Y.M.
 DULARAY, B., DIEPPE, P.A. & ELSON, C.J. Depressed degranulation response of synovial fluid polymorphonuclear leucocytes from patients with rheumatoid arthritis to IgG aggregates, 195
 EDAHIRO, T. *see* OHTA, N.
 ELAWAD, M.E. *see* RAZIUDIN, S.
 ELSON, C.J. *see* DULARAY, B.
 ENSSLE, K.H. & FLEISCHER, B. Absence of Epstein-Barr virus-specific, HLA class II-restricted CD4⁺ cytotoxic T lymphocytes in infectious mononucleosis, 409
 EVANS, S.W. *see* SALAS, M.A.
 FELSTEIN, M.V. *see* MOWAT, A. McI.
 FERRARINI, M., STEEN, V., MEDSGER, T.A. JR & WHITESIDE, T.L. Functional and phenotypic analysis of T lymphocytes cloned from the skin of patients with systemic sclerosis, 346
 FERRARO, G., MERONI, P.L., TINCANI, A., SINICO, A., BARCELLINI, W., RADICE, A., GREGORINI, G., FROLDI, M., BORGH, M.O. & BALESTRIERI, G. Anti-endothelial cell antibodies in patients with Wegener's granulomatosis and micropolyarteritis, 47
 FLEISCHER, B. *see* ENSSLE, K.H.
 FLEUREN, G.J. *see* BRUIJN, J.A.
 FORTUNE, F., KINGSTON, J., BARNES, C.S. & LEHNER, T. Identification and characterization of IgA and *Vicia villosa*-binding T cell subsets in rheumatoid arthritis, 202
 FOSSATI, L., MERINO, J. & IZUI, S. CD4⁺ T cells play a major role for IgM and IgG anti-DNA production in mice infected with *Plasmodium yoelii*, 291
 FREW, A.F. *see* WEN, Y.M.
 FROLDI, M. *see* FERRARO, G.
 FUJIMOTO, J. *see* Kiyokawa, N.
 FUJITA, H. *see* Kiyokawa, N.
 FUKATA, S. *see* MATSUBAYASHI, S.
 FUNAHASHI, T. *see* AOTSUKA, S.
 GARRED, P. *see* HETLAND, G.
 GASTON, J.S.H. *see* LIFE, P.F.
 GATENBY, P.A., BARBOSA, J.A. & LACHMANN, P.J. Differences between C4A and C4B in the handling of immune complexes: the enhancement

- of CR1 binding is more important than the inhibition of immunoprecipitation, 158
- GEINOZ, A. *see* CHIZZOLINI, C.
- GILLIS, T.P. *see* VADIEE, A.R.
- GRANHOLM, N.A. *see* CAVALLO, T.
- GRAU, G.E. *see* CHIZZOLINI, C.
- GREGORINI, G. *see* FERRARO, G.
- GRONHAGEN-RISKA, C., VON WILLEBRAND, E., TIKKANEN, T., HONKANEN, E., MIETTINEN, A., HOLTHOFER, H. & TORNROTH, T. The effect of cyclosporin A on the interstitial mononuclear cell infiltration and the induction of Heymann's nephritis, 266
- GUERIN, V., TODD, I., HAMMOND, L.J. & BOTTAZZO, G.F. Suppression of HLA class II expression on thymocytes by interferon- α 1, 341
- GUINNEPAIN, M.T. *see* WEYER, A.
- HABESHAW, J.A. *see* DEGIORGI, L.
- HAHN, T. *see* SCHATTNER, A.
- HAKAMOTO, M. *see* NIKAI, T.
- HAMMARSTROM, M.-L. *see* MINCHEVA-NILSSON, L.
- HAMMARSTROM, S. *see* MINCHEVA-NILSSON, L.
- HAMMOND, L.J. *see* GUERIN, V.
- HAMZA, M. *see* HAMZAOU, K.
- HAMZAOU, K., AYED, K., SLIM, A., HAMZA, M. & TOURAINE, J. Natural killer cell activity, interferon- γ and antibodies to herpes viruses in patients with Behçet's disease, 28
- HASHIMOTO, S., MICHALSKI, J.P., BERMAN, M.A. & MCCOMBS, C. Mechanism of a lymphocyte abnormality associated with HLA-B8/DR3: role of interleukin-1, 227
- HATA, J.-I. *see* KIKAWA, N.
- HATA, M. *see* NIKAI, T.
- HERPIN-RICHARD, N. *see* WEYER, A.
- HETLAND, G., GARRED, P., PETERSEN, H.B., MOLLNES, T.E. & JOHNSON, E. S protein binds to serum-treated agarose beads independently of complement activation and the formation of the terminal complement complex on the beads, 459
- HOEDEMAEKER, P.J. *see* BRUIJN, J.A.
- HOGENDOORN, P.C.W. *see* BRUIJN, J.A.
- HOLTHOFER, H. *see* GRONHAGEN-RISKA, C.
- HOMMA, S. & YAMAMOTO, M. Activation process of macrophages after *in vitro* treatment of mouse lymphocytes with dodecylglycerol, 307
- HONKANEN, E. *see* GRONHAGEN-RISKA, C.
- HOPF, U., JAHN, H.-U., MOLLER, B., STEMEROWICZ, R., WITTENBRINK, C., KLEIN, R. & BERG, P.A. Liver membrane antibodies (LMA) recognize a 26-kD protein on the hepatocellular surface, 54
- HOSAKA, Y. *see* OHTA, N.
- HOWARD, C.R. *see* WEN, Y.M.
- HUXIE, J.A. *see* BANDYOPADHYAY, S.
- HUDSPITH, B.N. *see* JAKOB, T.
- ICKOVIC, M.R. *see* WEYER, A.
- ISHII, A. *see* OHTA, N.
- ISHIMOTO, K. *see* KIKAWA, N.
- ISHIZAKA, A., SAKIYAMA, Y., NAKANISHI, M., TOMIZAWA, K., OSHIKA, E., KOJIMA, K., TAGUCHI, Y., KANDIL, E. & MATSUMOTO, S. The inductive effect of interleukin-4 on IgG4 and IgE synthesis in human peripheral blood lymphocytes, 392
- IZUI, S. *see* FOSSATI, L.
- JAHN, H.-U. *see* HOPF, U.
- JAKOB, T., HUDSPITH, B.N., LATCHMAN, Y.E., RYCKOFF, R. & BROSTOFF, J. Depressed lymphocyte transformation and the role of prostaglandins in atopic dermatitis, 380
- JENNINGS, R. *see* SMITH, T.L.
- JEWELL, D.P. *see* WU, K.C.
- JOHNSON, E. *see* HETLAND, G.
- JOHNSON, R.B., LABROOY, J.T. & SKERRITT, J.H. Antibody responses reveal differences in oral tolerance to wheat and maize grain protein fraction, 135
- JONES, D.M. *see* PEAKE, P.
- JORDAN, R.K. *see* MCLACHLAN, S.M.
- JUTO, P. *see* MINCHEVA-NILSSON, L.
- KALMAR, A. *see* MARODI, L.
- KAMAT, R.S. *see* SHROFF, K.E.
- KAMPERDIJK, E.W.A. *see* VAN NIEUWERK, E.B.J.
- KANAI, Y. *see* KIMURA, M.
- KANDIL, E. *see* ISHIZAKA, A.
- KAO, M.-S. *see* POWELL, C.B.
- KARMASZIN, L. *see* MARODI, L.
- KIMURA, M., MOHRI, H., SHIMADA, K., WAKABAYASHI, T., KANAI, Y. & MATSUZAWA, A. Serological and histopathological characterization of the new mutant strain of Ipr mice, CBA/K1Jms-Ipr^{cs}/Ipr^{cs}, 129
- KINGSTON, J. *see* FORTUNE, F.
- KINOSHITA, M. *see* AOTSUKA, S.
- KINOSHITA, M., AOTSUKA, S. & YOKOHARI, R. Cross-reactive rheumatoid factors in rheumatoid arthritis with extra-articular disease, 72
- KIRSCHFINK, M. *see* ZILOW, G.
- KIKAWA, N., KOKAI, Y., ISHIMOTO, K., FUJITA, H., FUJIMOTO, J. & HATA, J.-I. Characterization of the common acute lymphoblastic leukaemia antigen (CD10) as an activation molecule on mature human B cells, 322
- KLEIN, R. *see* HOPF, U.
- KOJIMA, K. *see* ISHIZAKA, A.
- KOKAI, Y. *see* KIKAWA, N.
- KOKKELINK, I. *see* ROTTEVEEL, F.T.M.
- KOSTULAS, V. *see* MIX, E.
- KREYSEL, H.W. *see* REINHOLD, U.
- KUENEN, B. *see* ROTTEVEEL, F.T.M.
- KUKEL, S. *see* REINHOLD, U.
- KULESZ, A.J. *see* DANIS, V.A.
- KUMA, K. *see* MATSUBAYASHI, S.
- LABROOY, J.T. *see* JOHNSON, R.B.
- LACHMANN, P.J. *see* GATENBY, P.A.
- LACHMANN, P.J. *see* PEAKE, P.
- LACHMANN, P.J. *see* SONGSIVILAI, S.
- LAMBERT, P.-H. *see* MERINO, J.
- LATCHMAN, Y.E. *see* JAKOB, T.
- LEE, S.S., ADU, D. & THOMPSON, R.A. Anti-myeloperoxidase antibodies in systemic vasculitis, 41
- LEHNER, T. *see* FORTUNE, F.
- LEVELL, M.J. *see* SALAS, M.A.
- LEVINSKY, R.J. *see* SUPER, M.
- LIFE, P.F., VINER, N.J., BACON, P.A. & GASTON, J.S.H. Synovial fluid antigen-presenting cells unmask peripheral blood T cell responses to bacterial antigens in inflammatory arthritis, 189
- LINK, H. *see* MIX, E.
- LOGAN, D. *see* PFUELLER, S.L.
- LOUZIR, H. *see* MATSIOTA, P.
- LUCAS, C.J. *see* ROTTEVEEL, F.T.M.
- LUZUY, S. *see* MERINO, J.
- MACKWORTH-YOUNG, C.G. Cross-reactive idiotypes in sera from patients with leprosy, lupus and Lyme disease and from healthy individuals, 78
- MACVITTIE, T.J. *see* DAVIS, T.A.
- MAHADEVAN, P.R. *see* MAROLIA, J.
- MAHIDA, Y.R. *see* WU, K.C.
- MARODI, L., KALMAR, A. & KARMASZIN, L. Stimulation of the respiratory burst and promotion of bacterial killing in human granulocytes by intravenous immunoglobulin preparations, 164
- MAROLIA, J., ROBINSON, P. & MAHADEVAN, P.R. A complex component modulating immune deficient cells in leprosy patients leading to loss of viability of *Mycobacterium leprae*, 7
- MARTIN, S.J., BRADLEY, J.G. & COTTER, T.G. HL-60 cells induced to differentiate towards neutrophils subsequently die via apoptosis, 448
- MASSAIA, M., BIANCHI, A., DIANZANI, U., CAMIONI, A., ATTISANO, C., BOCCADORO, M. & PILERI, A. Defective interleukin-2 induction of lymphokine-activated killer (LAK) activity in peripheral blood T lymphocytes of patients with monoclonal gammopathies, 100
- MATOSIAN-ROGERS, A. *see* DEGIORGI, L.
- MATSIOTA, P., DOSQUET, P., LOUZIR, H., DRUET, E., DRUET, P. & AVRAEMAS, S. IgA polyspecific autoantibodies in IgA nephropathy, 361
- MATSUBAYASHI, S., TAMAI, H., MORITA, T., FUKATA, S., MATSUZUKA, F., SUZUKI, T., KUMA, K., NAGATAKI, S. & VOLPE, R. Hashimoto's thyroiditis manifesting monoclonal lymphocytic infiltration, 170
- MATSUMOTO, S. *see* ISHIZAKA, A.

- MATSUZAWA, A. *see* KIMURA, M.
 MATSUZUKA, F. *see* MATSUBAYASHI, S.
 MCCOMBS, C. *see* HASHIMOTO, S.
 MCLACHLAN, S.M., ATHERTON, M.C., NAKAJIMA, Y., NAPIER, J., JORDAN, R.K., CLARK, F. & REES SMITH, B. Thyroid peroxidase and the induction of autoimmune thyroid disease, 182
 MCLACHLAN, S.M., TAVERNE, J., ATHERTON, M.C., COOKE, A., MIDDLETON, S., PEGG, C.A.S., CLARK, F. & REES SMITH, B. Cytokines, thyroid autoantibody synthesis and thyroid cell survival in culture, 175
 MEAGER, A. *see* ROTTEVEEL, F.T.M.
 MEAUME, J. *see* WEYER, A.
 MEDSGER, T.A. JR *see* FERRARINI, M.
 MERINO, J. *see* FOSSATI, L.
 MERINO, J., SCHURMANS, S., WEN, L., BRIGHOUSE, G., LUZUY, S. & LAMBERT, P.-H. Autoimmune syndrome after induction of neonatal tolerance to alloantigens: analysis of the role of donor T cells in the induction of autoimmunity, 273
 MERONI, P.L. *see* FERRARO, G.
 MICHALSKI, J.P. *see* HASHIMOTO, S.
 MIDDLETON, S. *see* MCLACHLAN, S.M.
 MIESCHER, S. *see* STOECK, M.
 MIETTINEN, A. *see* GRONHAGEN-RISKA, C.
 MILLER, D.S. *see* BANDYOPADHYAY, S.
 MILTON, J.I. *see* WOO, J.
 MINCHEVA-NILSSON, L., HAMMARSTROM, M.-L., JUTO, P. & HAMMARSTROM, S. Human milk contains proteins that stimulate and suppress T lymphocyte proliferation, 463
 MIX, E., OLSSON, T., CORREALE, J., BAIG, S., KOSTULAS, V., OLSSON, A. & LINK, H. B cells expression CD5 are increased in cerebrospinal fluid of patients with multiple sclerosis, 21
 MIZUSHIMA, Y. *see* NIWA, Y.
 MOHRI, H. *see* KIMURA, M.
 MOLLER, B. *see* HOFF, U.
 MOLLNES, T.E. *see* HETLAND, G.
 MONROY, R.L. *see* DAVIS, T.A.
 MORITA, T. *see* MATSUBAYASHI, S.
 MOWAT, A.M.C. & FELSTEIN, M.V. Experimental studies of immunologically mediated enteropathy. V. Destructive enteropathy during an acute graft-versus-host reaction in adult BDF1 mice, 279
 MOZES, E. *see* BLANK, M.
 MUTCH, D.G. *see* POWELL, C.B.
 NAGATAKI, S. *see* MATSUBAYASHI, S.
 NAKAJIMA, Y. *see* MCLACHLAN, S.M.
 NAKANISHI, M. *see* ISHIZAKA, A.
 NAPIER, J. *see* MCLACHLAN, S.M.
 NELSON, D.S. *see* DANIS, V.A.
 NIKAIIDO, T., SHIMADA, K., SHIBATA, M., HATA, M., HAKAMOTO, M., TAKASAKI, Y., SATO, C., TAKAHASHI, T. & NISHIDA, Y. Cloning and nucleotide sequence of cDNA for Ki antigen, a highly conserved nuclear protein detected with sera from patients with systemic lupus erythematosus, 209
 NISHIDA, Y. *see* NIKAIIDO, T.
 NIWA, Y. & MIZUSHIMA, Y. Neutrophil-potentiating factors released from stimulated lymphocytes; special reference to the increase in neutrophil-potentiating factors from streptococcus-stimulated lymphocytes of patients with Behçet's disease, 353
 OHTA, N., EDAHIRO, T., ISHII, A., YASUKAWA, M. & HOSAKA, Y. HLA-DQ-controlled T cell response to soluble egg antigen of *Schistosoma japonicum* in humans, 403
 OKAWA-TAKATSUI, M. *see* AOTSUKA, S.
 OLSSON, A. *see* MIX, E.
 OSHIKA, E. *see* ISHIZAKA, A.
 PEAKE, P., SZELKE, M., JONES, D.M., SINGLETON, A., SUEIRAS-DIAZ, J. & LACHMANN, P.J. Peptide inhibitors of C3 breakdown, 454
 PECHT, M. *see* RAGER-ZISMAN, B.
 PEGG, C.A.S. *see* MCLACHLAN, S.M.
 PETERSEN, H.B. *see* HETLAND, G.
 PFUELLER, S.L., LOGAN, D., TRAN, T.T. & BILSTON, R.A. Naturally occurring human IgG antibodies to intracellular and cytoskeletal components of human platelets, 367
 PILERI, A. *see* MASSAIA, M.
 PIRMEZ, C. *see* CONCEICAO-SILVA, F.
 POVEY, S. *see* DEGIORGI, L.
 POWELL, C.B., MUTCH, D.G., KAO, M.-S. & COLLINS, J.L. Reduced natural cytotoxic cell activity in patients receiving cisplatin-based chemotherapy and in mice treated with cisplatin, 424
 PRIDDLE, J.D. *see* WU, K.C.
 PRIETO, J., SUBIRA, M.L., CASTILLA, A., CIVEIRA, M.P. & SERRANO, M. Monocyte disorder causing cellular immunodeficiency: a family study, 1
 QIAO, L. *see* STOECK, M.
 RADICE, A. *see* FERRARO, G.
 RAFFARD, M. *see* WEYER, A.
 RAGER-ZISMAN, B., ZUCKERMAN, F., BENHARROCH, D., PECHT, M., BURSTEIN, Y. & TRAININ, N. Therapy of a fatal murine cytomegalovirus infection with thymic humoral factor (THF-γ2) treated immune spleen cells, 246
 RAZIUDIN, S. & ELAWAD, M.E. Immunoregulatory CD4⁺CD45R⁺ suppressor/inducer T lymphocyte subsets and impaired cell-mediated immunity in patients with Down's syndrome, 67
 REES SMITH, B. *see* MCLACHLAN, S.M.
 REINHOLD, U., WEHRMANN, W., KUKEL, S. & KREYSEL, H.W. Evidence that defective interferon-gamma production in atopic dermatitis patients is due to intrinsic abnormalities, 374
 ROBERTS-THOMSON, P.J. & SHEPHERD, K. Molecular size heterogeneity of immunoglobulins in health and disease, 328
 ROBINSON, P. *see* MAROLIA, J.
 ROSS, C.S.K. *see* WOO, J.
 ROTHER, A. *see* ZILOW, G.
 ROTTEVEEL, F.T.M., KUENEN, B., KOKKELINK, I., MEAGER, A. & LUCAS, C.J. Relative increase of inflammatory CD4⁺ T cells in the cerebrospinal fluid of multiple sclerosis patients and control individuals, 15
 RYCROFT, R. *see* JAKOB, T.
 SAINIS, K.B. *see* SHROFF, K.E.
 SAKANE, T. *see* SUZUKI, N.
 SAKIYAMA, Y. *see* ISHIZAKA, A.
 SALAS, M.A., EVANS, S.W., LEVELL, M.J. & WHICHER, J.T. Interleukin-6 and ACTH act synergistically to stimulate the release of corticosterone from adrenal gland cells, 470
 SATO, C. *see* NIKAIIDO, T.
 SCHATTNER, A., STEINBOCK, M., TEPPER, R., SCHONFELD, A., VAISMAN, N. & HAHN, T. Tumour necrosis factor production and cell-mediated immunity in anorexia nervosa, 62
 SCHONFELD, A. *see* SCHATTNER, A.
 SCHRIJVERS, D. *see* CHIZZOLINI, C.
 SCHUBACH, A. *see* CONCEICAO-SILVA, F.
 SCHURMANS, S. *see* MERINO, J.
 SENGUPTA, S.R. *see* SCROFF, K.E.
 SERRANO, M. *see* PRIETO, J.
 SEVERIJNEN, A.J. *see* VAN DEN BROEK, M.F.
 SEWELL, H.F. *see* STEWART, L.S.
 SHANNON, E.J. *see* VADIEE, A.R.
 SHEPHERD, K. *see* ROBERTS-THOMSON, P.J.
 SHIBATA, M. *see* NIKAIIDO, T.
 SHIMADA, K. *see* KIMURA, M.
 SHIMADA, K. *see* NIKAIIDO, T.
 SHOENFELD, Y. *see* BLANK, M.
 SHROFF, K.E., SAINIS, K.B., SENGUPTA, S.R. & KAMAT, R.S. Role of antigen-presenting cells in variation in immunogenicity of mycobacteria, 285
 SINGLETON, A. *see* PEAKE, P.
 SINICO, A. *see* FERRARO, G.
 SKELLY, R.R. *see* DAVIS, T.A.
 SKERRITT, J.H. *see* JOHNSON, R.B.
 SLIM, A. *see* HAMZAOU, K.
 SMITH, J. *see* CATTELL, V.
 SMITH, T.L. & JENNINGS, R. Specificity and *in vitro* transfer of the immunosuppressive effect of detergent-disrupted influenza virus vaccine, 87
 SONGSIVILAI, S. & LACHMANN, P.J. Bispecific antibody—a tool for diagnosis and treatment of disease, 315

- SREDNI, B. *see* BLANK, M.
 STARR, S.E. *see* BANDYOPADHYAY, S.
 STEEN, V. *see* FERRARINI, M.
 STEINBOCK, M. *see* SCHATTNER, A.
 STEMEROWICZ, R. *see* HOFF, U.
 STEWARD, M.W. *see* WEN, Y.M.
 STEWART, L.S., SEWELL, H.F. & THOMSON, A.W. Combination chemotherapy: kinetics of *in vivo* and *in vitro* generation of natural killer cells and lymphokine-activated killer cells in the rat, 416
 STIMPSON, S.A. *see* VAN DEN BROEK, M.F.
 STOECK, M., MIESCHER, S., QIAO, L., CAPASSO, P., BARRAS, C. & VON FLIEDNER V. Stimulation of FACS-analysed CD4⁺ and CD8⁺ human tumour-infiltrating lymphocytes with ionomycin + phorbol-12,13-dibutyrate does not overcome their proliferative deficit, 105
 STURM, J.A. *see* ZILLOW, G.
 SUBIRA, M.L. *see* PRIETO, J.
 SUEIRAS-DIAZ, J. *see* PEAKE, P.
 SUPER, M., LEVINSKY, R.J. & TURNER, M.W. The level of mannan-binding protein regulates the binding of complement-derived opsonins to mannan and zymosan at low serum concentrations, 144
 SUTRA, J.P. *see* WEYER, A.
 SUZUKI, N., SAKANE, T. & TSUNEMATSU, T. Effects of a novel immunosuppressive agent, FK506, on human B cell activation, 240
 SUZUKI, T. *see* MATSUBAYASHI, S.
 SZELKE, M. *see* PEAKE, P.
- TAGUCHI, Y. *see* ISHIZAKA, A.
 TAKAHASHI, T. *see* NIKAIKO, T.
 TAMAI, H. *see* MATSUBAYASHI, S.
 TANI, N. *see* AOTSUKA, S.
 TAVERNE, J. *see* McLACHLAN, S.M.
 TEKEIA, P. *see* WEYER, A.
 TEPPER, R. *see* SCHATTNER, A.
 THOMPSON, R.A. *see* LEE, S.S.
 THOMSON, A.W. *see* STEWART, L.S.
 THOMSON, A.W., *see* WOO, J.
 TIKKANEN, T. *see* GRONHAGEN-RISKA, C.
 TINCANI, A. *see* FERRARO, G.
 TODD, I. *see* GUERIN, V.
 TOMIZAWA, K. *see* ISHIZAKA, A.
 TORNROTH, T. *see* GRONHAGEN-RISKA, C.
 TOURAINE, J. *see* HAMZAOU, K.
 TRAININ, N. *see* RAGER-ZISMAN, B.
 TRAN, T.T. *see* PFUELLER, S.L.
 TSUNEMATSU, T. *see* SUZUKI, N.
 TURNER, M.W. *see* SUPER, M.
- VADIEE, A.R., GILLIS, T.P. & SHANNON, E.J. Confirmation of a false-positive result associated with a competition inhibition assay used for detecting antibodies to a protein epitope of *Mycobacterium leprae*, 397
- VAISMAN, N. *see* SCHATTNER, A.
 VAN BRUGGEN, M.C.J. *see* VAN DEN BROEK, M.F.
 VAN DE PUTTE, L.B.A. *see* VAN DEN BROEK, M.F.
 VAN DEN BERG, W.B. *see* VAN DEN BROEK, M.F.
 VAN DEN BROEK, L.J.C.M. *see* BRUIJN, J.A.
 VAN DEN BROEK, M.F., VAN BRUGGEN, M.C.J., STIMPSON, S.A., SEVERIJNEN, A.J., VAN DE PUTTE, L.B.A. & VAN DEN BERG, W.B. Flare-up reaction of streptococcal cell wall induced arthritis in Lewis and F344 rats: the role of T lymphocytes, 297
 VAN DER BAAN, S. *see* VAN NIEUWERKERK, E.B.J.
 VAN NIEUWERKERK, E.B.J., DE WOLF, C.J.M., KAMFERDIJK, E.W.A. & VAN DER BAAN, S. Lymphoid and non-lymphoid cells in the adenoid of children with otitis media with effusion: a comparative study, 233
 VINER, N.J. *see* LIFE, P.F.
 VOLPE, R. *see* MATSUBAYASHI, S.
 VON FLIEDNER, V. *see* STOECK, M.
 VON WILLEBRAND, E. *see* GRONHAGEN-RISKA, C.
- WAKABAYASHI, T. *see* KIMURA, M.
 WEHRMANN, W. *see* REINHOLD, U.
 WEN, L. *see* MERINO, J.
 WEN, Y.M., DUAN, S.C., HOWARD, C.R., FREW, A.F. & STEWARD, M.W. The affinity of anti-HBc antibodies in acute and chronic hepatitis B infection, 83
 WEYER, A., GUINNEPAIN, M.T., SUTRA, J.P., BORGNON, A., HERPIN-RICHARD, N., ICKOVIC, M.R., MEAUME, J., RAFFARD, M. & TEKEIA, P. Seasonal increase of spontaneous histamine release in washed leucocytes from rhinitis patients sensitive to grass pollen, 385
 WHICHER, J.T. *see* SALAS, M.A.
 WHITESIDE, T.L. *see* FERRARINI, M.
 WITTENBRINK, C. *see* HOFF, U.
 WOO, J., ROSS, C.S.K., MILTON, J.I. & THOMPSON, A.W. Immunosuppressive activity of FK-506 in rats: flow cytometric analysis of lymphocyte populations in blood, spleen and thymus during treatment and following drug withdrawal, 109
 WU, K.C., MAHIDA, Y.R., PRIDDLE, J.D. & JEWELL, D.P. Effect of human intestinal macrophages on immunoglobulin production by human intestinal mononuclear cells isolated from patients with inflammatory bowel disease, 35
- YAMAMOTO, M. *see* HOMMA, S.
 YASUKAWA, M. *see* OHTA, N.
 YOKOHARI, R. *see* KINOSHITA, M.
 YOKOHARI, R. *see* AOTSUKA, S.
- ZIEGNER, U. *see* BANDYOPADHYAY, S.
 ZILLOW, G., STURM, J.A., ROTHER, A. & KIRSCHFINK, M. Complement activation and the prognostic value of C3a in patients at risk of adult respiratory distress syndrome, 151
 ZUCKERMAN, F. *see* RAGER-ZISMAN, B.

Subject Index

- Abrogation of GVHD, 130
- Accessory cells, 430
- Activation antigen, 322
- Adenoid, 233
- Adoptive transfers, 246
- Adrenocorticotropin (ACTH), 470
- Adult respiratory distress syndrome, 151
- Agarose beads, 459
- Allergic rhinitis, 385
- Anaphylatoxin, 151
- Anorexia nervosa, 62
- Anti-DNA, 291
- Anti-DNA antibodies, 215
- Anti-dsDNA antibodies, 72
- Anti-endothelial cell antibodies, 47
- Anti-heparan sulphate antibodies, 215
- Antibodies, 41, 135, 367
- Antibody affinity, 83
- Antigen-antibody complex, 253
- Antigen-presenting cells, 189, 285
- Apoptosis, 448
- Armadillo, 397
- Atopic dermatitis, 374, 380
- Auranofin, 335
- Autoantibodies, 21
- Autoantibody synthesis, 175
- Autoimmunity, 123, 273, 443

- Bacterial antigens, 189
- Behçet's disease, 28, 353
- Beta-endorphins, 62
- Bispecific antibodies, 315
- Blood, 109
- Brush-border antigens, 115
- Burkitt's lymphoma, 322

- C3, 454
- C3 fragments, 144
- C3a, 151
- C4 fragments, 144
- C4A, 158
- C4B, 158
- CD4⁺, 409
- CD4⁺ T cell subsets, 67
- CD4⁺ T cells, 291
- CD4⁺ subsets, 15
- CD4⁺CD29⁺ T cells, 67
- CD4⁺CD45R⁺, 67
- CD5⁺ B cells, 21
- CR1 receptor, 158
- Cerebrospinal fluid, 21
- Chemotherapy, 416, 424
- Cisplatin, 424
- Clonal analysis, 346
- Cloned lymphocytes from skin, 346
- Colostrum, 463
- Common acute lymphoblastic leukaemia antigen, 322
- Competitive antibody-binding assay, 397
- Complement, 144, 151, 158, 454
- Complement activation, 459
- Concanavalin A, 67
- Corticosterone, 470
- Cross-reactive idiotypes, 78
- Cross-reactive rheumatoid factors, 72
- Cyclosporin A, 240, 266
- Cytokine production *in vitro*, 346
- Cytokines, 175, 227, 353

- Cytophilic IgA, 202
- Cytoplasmic, 41
- Cytoskeleton, 367
- Cytotoxic T lymphocytes, 409
- Cytotoxicity, 100

- Degranulation, 195
- Delipidated cell components, 7
- Dextran sulphate, 215
- Differentiation, 448
- Dodecylglycerol, 307
- Down's syndrome, 67

- ELISA, 215, 392
- Enhancement, 436
- Enteropathy, 279
- Epstein-Barr virus, 409
- Experimental autoimmune thyroiditis, 182
- Extra-articular disease, 72

- FK506, 109, 240
- Familial immunodeficiency, 1
- Fever, 1
- Fine-needle aspiration biopsy, 266
- Flare-up, 297

- gld, 123
- Gliadin, 135
- Glomerulonephritis, 115, 260
- Gluten-free diet, 135
- Gold sodium thiomalate, 335
- Graft-versus-host disease, 115
- Graft-versus-host reaction, 279
- Granulocyte-macrophage colony-stimulating factor, 436
- Granulocytes, 164
- Grass pollen season, 385

- HIV, 430
- HL-60, 448
- HLA class II, 341
- HLA-B8/DR3, 227
- HLA-DQ, 403
- Hashimoto's thyroiditis, 170
- Hepatitis B core antigen, 83
- Hepatitis B virus, 83
- Herpes viruses, 28
- Heterogeneity, 328
- Heymann's nephritis, 266
- Human American mucocutaneous leishmaniasis, 221
- Human T cells, 403
- Human basophils, 385

- IIIE9 epitope, 397
- Idiotypes, 443
- IgA nephropathy, 361
- IgE, 374
- IgE immune complexes, 380
- IgG subclass, 392
- Immune complex disease, 253
- Immune complexes, 158
- Immune suppression, 403
- Immunoassay, 315
- Immunogenicity, 285
- Immunoglobulin, 164
- Immunoglobulins, 328
- Immunomodulation, 7
- Immunosuppression, 87

- Immunosuppressive agents, 240
 Immunotherapy, 315
 Indirect immunological cDNA cloning, 209
 Infectious mononucleosis, 409
 Inflammation, 307
 Inflammatory arthritis, 189
 Inflammatory bowel disease, 35
 Influenza subunit vaccine, 87
 Inhibition, 463
 Inhibitors, 454
 Interferon, 62
 Interferon-alpha 1, 341
 Interferon-gamma, 28, 341, 374
 Interferon-gamma production, 95
 Interleukin-1, 227, 335, 436
 Interleukin-2, 416
 Interleukin-6, 470
 Intermediate filaments, 1
 Interstitial T suppressor/cytolytic cells, 266
 Interstitial blast cells, 266
 Intestinal mononuclear cells, 35
 Intracellular killing, 164
 Intravenous, 164
 Isoimmunization, 130

 Ki antigens, 209
 Killing, 7

 Laminin, 115
Leishmania braziliensis braziliensis, 221
 Leprosy, 7, 78
 Limiting dilution analysis, 221
 Lipopolysaccharide, 253
 Liver membrane antibodies, 54
 Liver membrane antigens, 54
 lpr, 123
 Lupus nephritis, 115
 Lupus nephritis model, 253
 Lyme disease, 78
 Lymphocyte activation, 227
 Lymphocytes, 109, 380
 Lymphoid cells, 233
 Lymphokine-activated killer cells, 100, 416
 Lymphokines, 443
 Lymphoproliferation, 123

 Macrophage activation, 307
 Macrophage-activating signal factor, 307
 Macrophages, 260
 Malignant lymphoma, 170
 Mannan-binding proteins, 144
 Maternal, 130
 Micropolyarteritis, 47
 Milk, 463
 Monoclonality, 170
 Monocyte function, 1
 Monocytes, 335
 Multiple myeloma, 100
 Multiple sclerosis, 15
 Murine cytomegalovirus, 246
 Murine malaria, 291
 Murine splenocytes, 87
 Mutant mice, 123
 Mycobacteria, 285
Mycobacterium leprae, 7, 397
 Myeloperoxidase, 41

 Natural autoantibodies, 367
 Natural cytotoxic cells, 424
 Natural killer, 62, 430
 Natural killer cells, 416, 436
 Neonatal tolerance, 273

 Nephrotoxic nephritis, 260
 Neutrophil-potentiating factors, 353
 Neutrophils, 41, 141
 Non-lymphoid cells, 233
 Nuclear proteins, 209

 Opsonization, 144
 Oral tolerance, 135
 Otitis media with effusion, 233

 PGE1, 260
 Peptides, 454
 Phytohaemagglutinin, 67
Plasmodium falciparum, 95
 Platelets, 367
 Pokeweed mitogen, 240
 Polymorphonuclear leucocytes, 195
 Polyspecific antibodies, 361
 Polytrauma, 151
 Proliferation, 463
 Prostaglandins, 380
 Protein engineering, 315

 Rat, 416
 Recombinant 65-kD protein, 397
 Renal eluates, 361
 Rheumatoid arthritis, 72, 195, 202, 335

 S protein, 459
Schistosoma japonicum, 403
 Scleroderma (PSS), 346
 Serum, 361
 Serum factor, 307
 Skin-derived T cells, 346
 Specificity, 87
 Spleen, 109
 Spontaneous histamine release, 385
Staphylococcus aureus Cowan I, 240
Staphylococcus aureus, 164
 Streptococcal cell wall arthritis, 297
 Streptococcus, 353
 Superoxide anions, 164
 Susceptibility, 297
 Synovial fluid, 195
 Systemic lupus erythematosus, 78, 209, 215, 253, 443

 T cell subsets, 95
 T cells, 15, 67, 221, 273, 297
 T cells with Fc ϵ receptors, 202
 T lymphocytes, 409, 463
 Terminal complement complex, 459
 Thymic humoral factor, 246
 Thymus, 109
 Thyroglobulin, 182
 Thyroglobulin antibody, 182
 Thyroid autoantibodies, 175
 Thyroid autoimmunity, 341
 Thyroid cell survival, 175
 Thyroid epithelium, 341
 Thyroid peroxidase, 182
 Thyroid peroxidase antibody, 182
 Tubulointerstitial nephritis, 266
 Tumour necrosis factor, 62
 Tumour-infiltrating lymphocytes, 105

 Vasculitis, 41, 47
 Vinculin, 367

 Wegener's granulomatosis, 47
 Western blot, 328

 Zein, 135

